

Updated Instructions for Completing the New Jersey Orthodontic Evaluation HLD (NJ-Mod3) Index Form

The intent of the HLD (NJ-Mod3) Index is to measure the presence or absence and the degree of the handicap caused by the components to be scored with the index and NOT to diagnose Malocclusion. Presence of any of the conditions sections 1 through 6A and 15, or a score total equal to or greater than 26 (when scored correctly) qualifies for medical necessity exception. Total scores less than 26 with extenuating circumstances must include appropriate documentation.

GENERAL INFORMATION:

- **Only cases with late mixed and permanent dentition will be considered (see Pre-orthodontic Treatment Visit (D8660) for exception).**
- A Boley Gauge or disposable ruler scaled in millimeters should be used;
- The patient's teeth are positioned in centric occlusion;
- All measurements are recorded and rounded off to the nearest millimeter (mm);
- For sections 1 to 6A and 15 an X is placed if the condition exists and **scoring is completed**, as needed;
- For sections 6B to 14, indicate the measurement or if a condition is absent, a 0 score is entered;
- **Diagnostic models are required** with the submission of prior authorization. Casts must be properly poured, adequately trimmed without voids or bubbles and marked for centric occlusion; or,
- **Diagnostic Digital models may be submitted** to show right and left lateral, frontal and posterior and maxillary and mandibular occlusal views;
- **Diagnostic quality photographs** to show facial, frontal and profile, intra-oral front, left and right side, maxillary and mandibular occlusal views (minimum of seven views). Photographs shall include views with a millimeter ruler in place to demonstrate measurement for the following condition(s) when present as found in sections 6A, 6B, 7, 8, 9 and 13.

INSTRUCTIONS FOR FORM COMPLETION:

1. Cleft Palate Deformity – acceptable documentation must include at least one of the following: intraoral photographs of the palate, written consultation report by a qualified specialist or craniofacial panel. Score an X if present.

2. Cranio-facial Anomaly – acceptable documentation must include written report by qualified specialist or craniofacial panel and photographs. Score an X if present.

3. Impacted Permanent Anterior Teeth – demonstrate that anterior tooth or teeth (incisors and cuspids) is or are impacted (soft or hard tissue); not indicated for extraction and treatment planned to be brought into occlusion. Arch space available for correction. Score an X if present.

4. Crossbite of Individual Anterior teeth – Score an X if present. – demonstrate that anterior tooth or teeth (incisors and cuspids) is or are in crossbite resulting in occlusal trauma with excessive wear, significant mobility or soft tissue damage. A narrative to include the class of mobility for the involved teeth and photographs of all areas with soft

tissue damage. Score X as noted. **If these conditions do not exist, it is to be considered an ectopic eruption and scored in section 10.**

5. Severe Traumatic Deviation – damage to skeletal and or soft tissue as a result of trauma or other gross pathology. Include written report and intraoral photographs. Score an X if present.

6A. Overjet greater than 9mm or mandibular protrusion (reverse overjet) greater than 3.5 – Overjet is recorded with the patient's teeth in centric occlusion and is measured from the labial of the lower incisors to the labial of the corresponding upper central incisors. This measurement should record the greatest distance between any one upper central incisor and its corresponding lower central or lateral incisor. If the overjet is greater than 9mm or mandibular protrusion (reverse overjet) is greater than 3.5mm, score an X if present.

6B. Overjet equal to or less than 9mm – Overjet is recorded as in condition in section 6A. The measurement is rounded to the nearest millimeter and entered on the score form.

7. Overbite – A pencil mark on the tooth indicating the extent of the overlap facilitates the measurement. It is measured and rounded off the nearest millimeter and entered on the score form.

8. Mandibular protrusion (reverse overjet) equal to or less than 3.5 mm – Mandibular protrusion (reverse overjet) is recorded as a condition and rounded to the nearest millimeter. Enter the score on the form and multiply the measurement by five (5).

9. Open Bite in millimeters – This condition is defined as the absence of occlusal contact in the anterior region. It is measured from the incisal edge of a maxillary central incisor to the incisal edge of a corresponding mandibular incisor, in millimeters. Enter the measurement on the score form and multiply the measurement by four (4). If measurement is not possible, measurement can usually be estimated.

10. Ectopic Eruption – Count each tooth, excluding third molars. Each qualifying tooth must be more than 50% blocked out of the arch. Enter the number of qualifying teeth on the score form and multiply by three (3). If anterior crowding (see condition 12) also exists in the same arch, score the condition that produces the most points. **DO NOT COUNT BOTH CONDITIONS.** The exception to this rule is: (a) posterior ectopic eruptions in the same arch (b) if ectopic eruption score is transferred due to anterior crossbite without trauma, excessive wear of mobility. In these two exceptions, count ectopic eruption PLUS the crowding.

11. Deep Impinging Overbite – This occurs when either destruction of soft tissue on palate, gingival recession and mobility and/or abrasion of teeth are present. Submit intraoral photographs of tissue damage/impingement. The presence of deep impinging overbite is indicated by a total score of three (3) on the score form.

12. Anterior Crowding – Arch length insufficiency must exceed 3.5 mm. Mild rotations are not to be scored as crowded. Score one (1) crowding per arch. Enter the

total on score form and multiply the measurement by five (5). If ectopic eruption is scored in section 10 (not from crossbite in section 4) this crowding cannot be scored in addition. However if ectopic eruption is due to a transfer of score from section 4 to section 10, because crossbite did not result in damage, both ectopic and crowding can be counted.

13. Labio-Lingual Spread – A Boley Gauge (or disposable ruler) is used to determine the extent of deviation from a normal arch. Where there is only a protruded or lingually displaced anterior tooth, the measurement should be made from the incisal edge of that tooth to the normal arch line. Otherwise, the total distance between the most protruded anterior tooth and the most lingually displaced adjacent anterior tooth is measured. In the event that multiple anterior crowding of teeth is observed, all deviations from the normal arch should be measured for the labio-lingual spread, but only the most severe individual measurement should be entered on the score form.

14. Posterior Unilateral Crossbite – This condition involves two or more adjacent teeth, one of which must be a molar. The crossbite must be one in which the maxillary posterior teeth involved may either be both palatal or both completely buccal in relation to the mandibular posterior teeth. The presence of posterior unilateral crossbite is indicated by a total score of four (4) on the score form. THERE IS NO ADDITIONAL SCORE FOR BI-LATERAL CROSSBITE.

15. Psychological factors affecting child's development – This condition requires detailed documentation by a **mental health provider** as described in the NJFC Medicaid managed care contract that contains the psychological or psychiatric diagnosis, treatment history and prognosis. An attestation from the mental health provider must state and substantiate that orthodontic correction will result in a favorable prognosis of the mental/psychological condition.

RETAIN THIS NEWSLETTER FOR FUTURE REFERENCE

**NJ Orthodontic Assessment Tool for Comprehensive Treatment
HLD (NJ-Mod3)**

****Attach attestation that all needed preventive and dental treatment was completed ****

Date _____
 Name: _____ NJFC ID # _____
 DOB: _____ Sex: M / F Class/Type of Case _____
 Name of Orthodontist: _____

The instructions for completing this form begin on page 7. Sections 1-6A and 15 automatically qualify. Score with an X when these conditions are present. Sections 6B-14 scores must total 26 or more, or when less than 26 must include documentation of medically necessity.

	Condition	Score
1.	Cleft palate deformity (attach description from credentialed specialist)	
2.	Cranio-facial Anomaly (attach description from credentialed specialist)	
3.	Impacted permanent anteriors where extraction is not indicated Note the number of teeth _____	
4.	Crossbite of individual anterior teeth with trauma, mobility and/or soft tissue damage must be present and documented	
5.	Severe traumatic deviations	
6A.	Overjet greater than 9 mm with incompetent lips or reverse overjet greater than 3.5 mm	
6B.	Overjet (mm)	
7.	Overbite (mm)	
8.	Mandibular protrusion (mm) x 5	
9.	Open bite (mm) x 4	
10.	Ectopic eruption or crossbite of individual anterior teeth without damage (# of teeth x 3)	
11.	Deep impinging overbite (intra-oral photos showing palatal soft tissue impingement/destruction, gingival recession or attrition of teeth are required) Score 3 points if present	
12.	Anterior crowding MX _____ MD _____ Total _____ x 5 (score 1 per arch)	
13.	Labiolingual spread (mm)	
14.	Posterior unilateral crossbite (involving molar): Score 4 if present	
15.	Psychological factors affecting development (“X” requires detailed documentation by mental health provider as described per contract of psychological/psychiatric diagnosis, prognosis and that orthodontic correction will improve mental/psychological condition.)	
	TOTAL	

Documentation of extenuating circumstances attached for score total less than 26 (independent of conditions described in #s1-6A and 15).